



## **INTRODUCING THE LATEST, HARDEST** HITTING, LOWEST VIBRATING 18V BRUSHLESS SDS-PLUS CORDLESS **ROTARY HAMMER DRILL. BUILT FOR** THE TOUGHEST JOB SITES

The essential tool for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 24mm. 5.0Ah 18 Volt Lithium Ion battery for maximum runtime. Drill over 90 holes on a single charge (10mm holes). Best in class vibration, 6.6m/s<sup>2</sup> lets you work safer and more comfortably for longer.

**Bright white LED improves visibility for your application.** 

#### DCH274P2T-XE\* DCH274N-XE\* 5AH **Bare Unit** 400W 400W 0-1100 0-1100 Blows per 0-4600 0-4600 minute (BPM) Impact Energy 2.1J 2.1J (EPTA 05/2009) Vibration (m/s²) 6.6 6.6 (Tri-Axial) RRP (inc. GST) \$869 \$549

\*Includes SDS+ Chuck and 13mm Keyless Chuck

**Extraction Unit** 



### **XR BRUSHLESS MOTOR**

- Powerful Brushless motor for heavy duty tasks

## **ALSO AVAILABLE**

## **EXTRACTION UNIT** D25303DH-XJ

- Compact design and low weight, with no need for additional hoses gives near perfect balance.
- Essential for dust free drilling up to 16 mm in diameter.
- HEPA filter capable of achieving 99.5% efficiency with dust particles

### **DRYWALL SCREWGUN**

**18V XR Li-Ion Brushless Drywall Screwdriver** offers extended runtime, delivering up to 6000 screws per charge.

**Quick release collated screw magazine** accepts most collated screws for even greater productivity and helping you install boards quicker.

**Powerful 4400rpm BRUSHLESS motor drives** screws efficiently and effectively offering maximum runtime in a compact tool.



#### DCF620P2K-XE

**5.0AH Batteries for eXtreme runtime** Includes both collated and single Screw locking nose cone One of the lightest and most **Compact tool on the market LED Light for worksite convenience Accepts most collated screws** Includes:

2 x 5.0Ah Slide Pack Batteries **Multi-voltage XR charger** DCF6201-XJ collated screw magazine DT7205-0Z PR2 collated screw bit **Single Screw Nose cone** DT7520-QZ Magnetic bit extender 25mm PR2 screw driver bit



# \$699



DCF620P2K-XE/DCF620KN-XE

**Voltage** 

Available as a two battery kit and as a bare unit

#### **18V XR SCREWGUN**

#### DCF620KN-XE

**Includes both collated and single** Screw locking nose cone One of the lightest and most Compact tool on the market **LED Light for worksite convenience Accepts most collated screws** 

#### Includes:

DCF6201-XJ collated screw magazine NT7205-07 PR2 collated screw hit **Single Screw Nose cone** DT7520-QZ Magnetic bit extender with 25mm PR2 screw bit **Batteries & charger sold separately** 



#### **PR2 SCREWDRIVER BIT**

Exclusively compatible with the DEWALT® XR Drywall Screwdriver, the new PR2 screwdriver bit offers ideal geometry for drywall screws to further improve productivity. Supplied with the DCF620P2K-XE/DCF620KN-XE. Driver bits also available separately as accessories: DT7206-QZ (PK5) DT7207-QZ (PK20)

**BRUSHLESS** 

18V

5-30Nm

0 - 4400rpm

(Hex) 6.35mm

435W

1.9kg

335mm

380mm

233mm

• Longer runtime and longer tool life as small as 0.3 microns.



### THE NEW GENERATION OF PORTABLE JOBSITE LIGHTING

- High power LED spot and area lights
- Enough runtime for a full working day when used with an XR 5.0AH battery pack
- Ideal for tradespeople who work in a confined or poorly lit spaces for extended periods
- Durable rubberised handles and heavy duty build quality









DCL060-XE*	
Voltage	18V
Light Output	1500 Lumens
Weight	1.5kg
Runtime	< 4 hrs
RRP (inc. GST)	\$209

\*Supplied as bare unit.

JCL043-XE	
/oltage	18V
ight Output	120-1000 Lumens
Veight	0.7kg
Runtime	< 10 hrs
RP (inc. GST)	\$169

\*Supplied as bare unit.

DCL050-XE*	
Voltage	18V
Light Output	250-500 Lumens
Weight	1.1kg
Runtime	< 10 hrs
RRP (inc. GST)	\$119

E*	DCL040-X	E*
18V	Voltage	18V
250-500 Lumens	<b>Light Output</b>	110 Lumens
1.1kg	Weight	0.6kg
< 10 hrs	Runtime	< 10 hrs
\$119	RRP (inc. GST)	\$59
*Supplied as bare unit.		*Supplied as bare unit.

## **HIGH TORQUE IMPACT WRENCH**

- Latest generation 18V BRUSHLESS XR Li-lon High Torque Wrench featuring XR 5Ah Li-Ion battery technology
- Powerful fan cooled motor delivers up to 950Nm of torque and 2400 impacts per minute for heavy duty fastening
- 3 speed and torque settings gives you the control to best suit your needs



**COMING SOON** 

## **DCF899P2-XE / DCF899N-XE**

XR Li-lon
18V
950Nm
1625Nm
610 Watt
0 - 400 / 1200 /1900 rpm
0 - 2400 ipm
3.3 kg

**BRUSHLESS** 

## **BLUETOOTH SPEAKER**

With all the durability you'd expect from a DEWALT® product, this compact speaker also boasts the ability to stream audio from your devices via Bluetooth from a range of up to 30.5m. **Delivering quality sound and powered by your existing** batteries, there's no better site companion.

Compatible with XR Li-lon Battery packs.









## **BLUETOOTH ADAPTOR**

The adapter can be connected to any audio device with a 3.5mm auxiliary jack allowing Bluetooth connectivity. With a single top-mounted button for added convenience, the unit can be paired quickly and easily to any portable audio player, tablet or smartphone with Bluetooth capability. The adaptor can stream sound up to a 30.5m distance.



#### **10.8V LI-ION DRILL DRIVER**

#### DCD710D2-XE

Compact body for confined spaces
15 Position adjustable torque control
Ergonomic handle and rubber overmold
All metal gearing
May Drilling (wood) 20mm

Max. Drilling (wood) 20mm

Parabolic switch - greater application control LED light for improved visibility

Standard Equipment 2 x 2Ah XR Li-lon battery packs Multi Voltage Charger Heavy Duty Kit Box



#### **10.8V LI-ION IMPACT DRIVER**

#### DCF815D2-XE

Compact body for confined spaces
3 LED 'Halo' ring = maximum illumination
Ergonomic handle and rubber overmold
All metal gearing
Delivers 107Nm of torque
Aluminium front housing provides greater
heat dispersion increasing motor life
Standard Equipment
2 x 2Ah XR Li-lon battery packs
Multi Voltage Charger
Heavy Duty Kitbox



# XR 10.8V LI-ION RANGE

#### **10.8V LI-ION INSPECTION CAMERA**

#### DCT410D1-XE

Removable wireless screen for ease of viewing when in tight areas
Photo and video capturing on Micro SD card to help with documentation
Hook and magnet accessories included to aid in retrieval
3x zoom capability for better visibility

Patented imaging thermometer measures & displays temperature patterns Non-contact temperature measurement over a range of -10°C to 250°C Visual and thermal images can be blended to easily locate and identify faults Adjustable emissivity improves accuracy across a wide range of materials

3.5" screen for increased visibility

#### **Standard Equipment**

DCT416D1-XE

Standard Equipment

1 x 2Ah XR Li-ion battery pack, Multi Voltage Charger, Hook attachment, Magnet attachment, Camera cable, Heavy duty kitbox

**10.8V LI-ION IMAGING THERMOMETER** 

56mm Colour LCD screen with easy to use interface Photo capture and Micro SD Data recording

1 x 2Ah XR Li-lon battery pack, Multi Voltage Charger,









# 90.8F . C











#### **INFRARED THERMOMETER**

Micro SD card, Heavy duty kitbox

#### DCT414D1-XE

Non-contact temperature measurements (-29°C to 500°C) LED hot (red) & cold (blue) indicator for

visual and/or audio alarm
Micro SD card for recording max, min, and
average temperatures

Adjustable emissivity for improved accuracy

Standard Equipment

1 x 2Ah XR Li-lon battery pack
Multi Voltage Charger
Heavy duty kitbox



#### **RECIPROCATING SAW**

#### DCS310N-XE

Adjustable three position pivoting Ergonomic handle and rubber overmould Lever action keyless blade clamp for quick and easy blade change LED light for improved visibility

Standard Equipment
Supplied as a bare unit
Batteries & charger sold separately





#### 3/8 IMPACT WRENCH

#### DCF813D2-XE

Compact body for confined spaces 3 LED 'Halo' ring = maximum illumination Ergonomic handle and rubber overmold All metal gearing Delivers 130Nm of torque

Aluminium front housing provides greater heat dispersion increasing motor life

Standard Equipment 2 x 2Ah XR Li-Ion battery packs Multi Voltage Charger Heavy Duty Kit Box



#### **SCREWDRIVER**

#### DCF610D2-XE

Powerful 10.8V Screwdriver
15 Position adjustable torque control
3 LED 'Halo' ring = maximum illumination
Parabolic switch profile
Ergonomic handle and rubber overmold
All metal gearing
6.35mm 'drop in' keyless hex driver

Standard Equipment 2 x 2Ah XR Li-Ion battery packs Multi Voltage Charger Heavy Duty Kit Box



# **NEW 36V RANGE**

**CORDLESS HAMMER** 

Introducing the latest development In 36V Cordless Hammer Drills, with High Capacity 4.0AH battery packs and a new style frameless motor for enhanced performance and even greater runtime.







#### DCH364M2-XF

DOIIDOTINE AL	
Battery Capacity	4.0Ah
Power Output	600W
No Load Speed	0-1100RPM
Impact energy (EPTA 05/2009)	2.3J
Blows per Minute	0-4500BPM
Max. Drilling Capacity [Wood]	30mm
Max. Drilling Capacity [Metal]	13mm
Max. Drilling Capacity [Concrete]	<b>26mm</b>
Weight	3.9Kg
Hand/Arm Vibration - Drilling	7.1m/s²
Quick Change Chuck	✓
<b>Dust Extraction</b>	×

\$1099 EX GST \$999.09

\*DCB361-XE 2.0AH Ultra-light battery pack also available.

## **HIGH CAPACITY 36V ROTARY HAMMER**



a standard 2.0Ah 36V pack

#### **36V LI-ION XENON FLEX NECK INSPECTION LIGHT**

#### DC509-XJ

Lockable head clip offers versatility and convenience of a lantern Flashlight with flexible neck for multi-directional hands-free lighting Compact, lightweight design with impact resistant housing 8 hours continuous run time with the 36V Li-lon battery pack Battery and charger sold separately Wide angle beam with metal reflector and Xenon bulb for greater brightness

Can be used free-standing, wrapped around a pipe or hanging from a fixture

#### Includes

36V LI-ION Heavy Duty Flashlight - Bare Unit Batteries & charger sold separately



8 HOURS RUNTIME

#### **36V LI-ION RECIPROCATING SAW**

#### DC305KN-XJ

Powerful DEWALT fan cooled motor with replaceable brushes and variable speed delivers fast cutting action up to 3000 strokes per minute and 29 mm stroke length

Variable speed trigger, lock-off switch and electronic motor brake for quick controlled cuts and enhanced work safety

4-position keyless blade clamp allows quick blade change, flush cutting, and versatility

3-position adjustable shoe for adjusting depth of cut and extends blade life

#### Includes

Wood cutting blade Heavy duty carrying case 36V LI-ION Heavy Duty Reciprocating Saw - Bare Unit Batteries & charger sold separately





3000 SPM

#### **36V LI-ION CIRCULAR SAW**

#### DC300KN-XJ

Powerful DEWALT fan cooled motor with 4000RPM

184 mm, 24 tooth carbide tipped blade allows for efficient run-time and fast, smooth cut finish

Maximum 62 mm depth of cut

Extremely durable design offering a cast magnesium shoe & full metal guarding 0-50° bevel capacity with lever-action detents at 22.5° and 45° allows for quick set up

Keyless bevel angle and depth of cut adjustment

Handle set at 15 degrees with diamond patterned grip area

Spindle lock for quick and easy blade change Lock off switch and electronic motor brake

All-metal keyless blade change system

#### Includes:

36V LI-ION Heavy Duty Circular Saw - Bare Unit

184 mm 24 tooth carbide blade

Rip fence

**Batteries & charger sold separately** 



4000 RPM

# **PLUNGE SAWS**

## THE NEW DEWALT PLUNGE SAW RANGE, ALWAYS ON THE RIGHT TRACK.

A NEW concept in DEWALT sawing - The plunge saw offers new levels of speed of set up, accuracy of cut and quality of finish. Central to this cutting system is the DEWALT track, which combines with other tools in the DEWALT range, with a full range of attachments and with dust management system to provide a complete job site solution.

The DEWALT DWS520KT-XE plunge saw comes as standard with a 1.5m rail, AirLock adaptor and a TSTAK™ kit box.

#### SYSTEM

DEWALT guide rails can also be used with most **DEWALT** routers and circular saws, providing a complete system for the end user.



#### **DUST MANAGEMENT**

Fully compatible with the DEWALT dust management system.



The DEWALT guide rail system offers anti-splinter lips on both sides of the guide rails.

CAPACITY



165mm blade gives 55mm depth of cut on the rail (59mm off the rail).






48 tooth blade - very little

breakout in laminates.

# SPEED. ACCURACY. SYSTEM.

SPECIFICATIONS	DWS520KT-XE	DWS520KTK-XE
Power Input	1400W	1400W
No Load Speed	1750-4000rpm	1750-4000rpm
Blade Diameter	165mm	165mm
Bevel Capacity	47°	47°
Max. Depth Cut at 45°	44°	44°
Max. Depth Cut at 45° on Guide Rails	40°	40°
Max. Depth Cut	59°	59°
Max. Depth Cut on Guide Rails	55°	55°
Weight	5.1kg	5.1kg
RRP (inc. GST)	\$799	\$1099

#### **PRODUCT SPECIFICATION**









lacktriangle

High torque motor delivers powerful cuts in heavy duty applications.

#### **DUST MANAGEMENT**

**Enclosed guard gives 90% dust** 

#### **ACCURACY**

Superior tool design and excellent rail system with fixed rail adjusters to eliminate deflection during a cut.



47" bevel giving extra capacity in 2nd fix applications.

#### VERSATILITY

DE6292-XJ jointing bar allows two rails to be joined together where extra capacity is required such as when cutting sheet material.

#### **EASE OF USE**

Low friction strip allows the saw to guide easily along the rail.



#### **SAFETY**

Anti kick back function.



#### DURABILITY

Full wave tachometric variable speed for motor protection even when used with hard woods.



#### EASE OF USE

Parallel plunge allows the user to maintain a smooth and constant hand position while cutting.



#### VERSATILITY

Lockable spindle lock for quick and easy blade changing.



#### EASE OF USE

Spring loaded riving knife which automatically retracts during plunge cuts.



#### RAIL STABILITY

The underside of the rail features foam cushioning strips which keep the rail secure on the workpiece during cuts.

#### **DWS520KTK-XE BONUS PACK**



**Bonus Plunge Saw accessories come** as standard when you purchase the DWS520KTK-XE

#### **ATTACHMENTS AVAILABLE**


DWS520KT-XE







## **TABLE SAW** LIGHTWEIGHT, HEAVY DUTY 254MM



DW745-XE	
Power Input	1850W
Blade Speed	3800RPM
Blade Diameter	254mm
Blade Bore	16mm
Bevel Capacity	-3 to 48°
<b>Max. Ripping Capacity [right]</b>	610mm
Max. Ripping Capacity [left]	315mm
Max. Depth of Cut at 90°	79mm
Max. Depth of Cut at 45°	57mm
Table Size 65	30x570mm
Weight	22kg

# STAND SYSTEMS

## 1.7M MITRE SAW STAND

**Compatible with all DEWALT mitre saws.** Full range of attachments available for all application requirements. Extends to 3.8 metres.



CODE	ATTACHMENT	RRP
DW7232	Material Support Stop (each)	\$59
DW7231	Saw Support Brackets (1 pair)	\$69
DE7027-XJ	Roller Supports (each)	\$99
DE7028-XJ	Extension Arm Support (each)	\$99
DE7029-XJ	Increased Width Material Support (each)	\$99



## **TABLE SAW STANDS ROLLING & SCISSOR**









DE7400-XJ

**Universal Fitment** 

DWE74911-XJ Unique to DWE7491-XE Table Saw

DWE74912-XJ

DE7450-XJ

Unique to DWE7491-XE Table Saw

Unique to DW745-XE Table Saw

\$319





# LAMINATE TRIMMER

DWE6005-XE	
Power Input	590W
Power Output	340W
No Load Speed	1600-34000RPM
Plunge Stroke/Movemo	ent 22mm
Collet Size	1/4" / 6.35mm
Max. Cutter Diameter	29mm
Weight	1.5Kg
Length	110mm
Height	205mm
Hand/Arm Vibration	2.5m/s <sup>2</sup>

**Engineered for precise** shaping edges

Unrivalled Comfort, **Performance** 





## **RECIP SAW**

DWE305PK-XE

With its industrial design, improved gearbox, and powerful 1100W motor, this tool is designed to withstand the toughest of environments. It also benefits from a four position blade clamp, delivering versatility and flush cutting, no matter how demanding the task.

Supplied with Kit Box.

DWE305PK-XE	
Power	1100W
No Load Stroke Rate	0-2800spm
Stroke Length	29mm
Max. Cutting Capacity [Wood]	280mm
Max. Cutting Capacity [Steel Sections & Pipes]	100mm
Max. Cutting Capacity [PVC]	130mm
Weight	3.5kg
Length	435mm
Height	178mm

\$249 EX GST \$226.36

# THE COMPLETE SOLUTION FROM START TO FINISH SDS PLUS HAMMERS

- Lightweight ranging from 2.5 to 3.1kg, including side handle, this improved range allows the user to benefit from reduced arm strain
- Convenient the reversible brush ring provides equal power in forward and reverse, making it easy to remove trapped accessories
- Durable the tough outer shell and recessed mode selector ensure improved product longevity



SPECIFICATIONS	D25133K-XE	D25144K-XE	D25263K-XE
Power Input	800W	900W	900W
Drilling modes	3	3	3
Quick Change Chuck	No	Yes	No
<b>T</b> STAK <sup>™</sup> Kit Box	Yes	Yes	No
Impact energy (EPTA 05/2009)	2.6J	3J	3J
Max. Drilling Capacity [Concrete]	26mm	28mm	28mm
Vibration	15.4m/s²	14.9m/s <sup>2</sup>	9.8m/s <sup>2</sup>
Price (Exc. GST)	\$229 (\$208.18)	\$319 (\$290)	\$319 (\$290)

**T**STAK



## **1300W PERCUSSION DRILL**





DWD530KS-XE

## **750W PERCUSSION DRILL**



\$129 EX GST \$117.27

DWD025KS-XE



# **NEW**

# 18V 3-SPEED XRP

## **HEAVY DUTY HAMMER DRILL**

Precise finish first

time, every time

All metal chuck

Increased

LED work light
On the foot reduces

chuck shadow



#### DCD995P2-XE 213 mm 2.13 kg 650 W **Power Output** 0-7650/22100/34000 BPM 0-450/1300/2000 RPM



**Chuck size** 

#### **ELECTRONIC CLUTCH**

The Intelligent trigger just got smarter, not only does it protect the tool and battery but it also now controls the clutch. **The Electronic Clutch** is smart enough to know what speed the drill is in, what torque setting is selected and even how hard you are pulling the trigger. The Electronic **Clutch with 11 torque** settings offers more precise control from fewer settings which means you get the job done better and faster.



## XR 18V BARE UNITS

#### **18V XR SDS HAMMER DRILL**

#### DCH254N-XE

34,000BPM

for fast masonry

XR Intelligent

& battery

**XR Li-lon** 

5.0Ah batteries

80Nm Torque

**Brushless motor** 

+ High capacity battery

**3 Mode Dedicated Cordless Hammer Drill Ideal for drilling anchors & fixing holes** into concrete, brick & masonry **Rotation stop for light chiseling** Rotary only for metal and wood drilling **Anti vibration control reduces user** fatigue and maximises operating usage Intelligent trigger protects battery & tool **Batteries & charger sold separately Quick Change Chuck -**Comes with 3 jaw chuck & SDS+ Chuck for increased versatility.



#### **18V XR JIGSAW**

#### DCS331N-XE

Powerful 400W fan cooled motor Variable speed trigger & lock off switch Tool free adjustable shoe with antiscratch cover

Patented keyless blade change **Anti vibration counter balance** mechanism

3 position pendulum action **Dust blower keeps cut line clear of dust** Intelligent trigger protects battery & tool **Batteries & charger sold separately** 





#### **18V XR 125MM GRINDER**

#### DCG412N-XE

Powerful 405W fan cooled motor 7000 RPM for fast cutting and grinding Steel cut spiral gears for highest durability

Low profile gear case for greater access Two position side handle **Quick change wheel release for** productivity. M14 Spindle

125mm Max Disc Diameter Intelligent trigger protects battery & tool

**Batteries & charger sold separately** 



#### **18V XR CIRCULAR SAW**

#### DCS391N-XE

**Powerful 460W motor for fast cutting** even in the toughest of applications 3700 RPM for fast high torque cutting Extremely durable tool design, cast aluminum hase

Keyless bevel angle and depth of cut Spindle lock for quick and easy blade

Lock off switch & electronic motor brake 165mm Blade. Hex kev. dust port Intelligent trigger protects battery & tool **Batteries & charger sold separately** 





#### **18V XR IMPACT WRENCH**

#### DCF880N-XE

All metal gearing for durability **Aluminium front housing** disperses heat and increases motor life 3 LED 'Halo' ring provides Intelligent trigger protects **Batteries & charger sold** 





# DCF885N-XE

**18V XR IMPACT DRIVER** 

hex driver All metal gearing for durability disperses heat and increases motor life 3 LED 'Halo' ring provides maximum illumination Intelligent trigger protects Batteries & charger sold



#### **18V XR BAND SAW**

#### DCS371N-XE

metal, including threaded rod unistrut and steel pipework DN 50 or 2" SCH 40 pipe Smooth cuts leaves surfaces Creates little or no sparks when cutting metal Well balanced and easy to 14/18 TPI variable pitch

Battery and charger sold

Hang hook





#### **18V XR RECIPROCATING SAW**

#### DCS380N-XE

Powerful 560W motor for fast cuts 2950 Strokes per minute, 28.6mm stroke length Variable speed trigger & lock-off switch lever **Pivoting adjustable shoe** 4 Position blade clamp Intelligent trigger protects battery & tool

## **18V XR HIGH TOROUE WRENCH**

#### DCF889N-XE

418Nm of torque and 2300 impacts per min **Aluminium front housing disperses heat and** increases motor life 1/2" (12.7mm) square socket drive

**Bright white LED light** Intelligent trigger protects battery and tool





## **18V XR METAL CIRC SAW**

#### DCS373N-XE

Powerful 460W motor, 3700rpm for fast cutting Extremely durable tool design with steel shoe Spindle lock for easy blade change Transparent front guard and LED light **Burr-free cuts at 43mm cutting depth** Intelligent trigger protects battery and tool



#### DCN692P2-XE

**Battery Capacity** 5.0Ah 2.8-3.3mm **Nail diameter** 30-34° Magazine angle Rear-load Magazine loadir **Nail length** 50-90mm Up to 55 nails




**COMPACT SIZE** Fits easily between 400mm centre studs **Unique Bump Mode** 

**Profiled nose-piece** provides stable

> function allows user to fire 2 nails per second

especially in low temperatures



**Fault indicator lights communicate** 

instantly why your nailer has failed to fire – either a

low battery or a nail jam

Nail jams are simple

to clear

# **NEW**

# ALSO AVAILABLE IN THE XR 5.0AH RANGE







#### 18V XR 6-TOOL COMBO KIT 5.0AH

#### DCK653P3-XE

**Kit Includes** 

**DCD995 Brushless XRP Hammer Drill,** DCF895 Brushless 3-Speed Impact Driver, DCS380 Reciprocating Saw, DCS391 Circular Saw, DCG412 125mm Grinder, DCL040 LED work light, 3 x 5.0AH Slide Pack Batteries, Multi-voltage charger **DS300 & DS400 Tough System Kit Box** 

**Tough System Specification** IP65 Dust tight & water jet resistant, Internal accessory storage, Side clips for stacking, Metal hinges and latches, Bi-material handles



\$1529

**INCLUDES BRUSHLESS** 

\$1069

#### 18V XR 4-TOOL COMBO KIT 5.0AH

#### DCK450P2-XE

**Kit Includes** 

**DCD795 Brushless Hammer Drill, DCF886 Brushless Impact Driver,** 

**DS150 & DS400 Tough System Kit Box** 

DCS380 Reciprocating Saw, DCS391 Circular Saw, 2 x 5.0AH Slide Pack Batteries, Multi-voltage charger,

**Tough System Specification** 

IP65 Dust tight & water jet resistant, Internal accessory storage, Side clips for stacking, Metal hinges and latches, **Bi-material handles** 



**INCLUDES** BRUSHLESS

#### REDEMPTION

**BLUETOOTH SPEAKER VIA REDEMPTION** WHEN YOU PURCHASE A DCK450P2-XE. SPEAKER VALUED AT RRP \$119. GO TO WWW.GUARANTEEDTOUGH.COM.AU



#### **18V XRP TWIN KIT 5.0AH**

#### DCK255P2-XE

DCD995 Brushless XRP 3 Speed Hammer Drill driver, **DCF886 Brushless Impact Driver,** 

2 x 5.0AH Slide Pack Batteries, Multi-voltage charger, **DS150 Tough System Kit Box** 

**DS150 Kit Box Included** 

IP65 Dust tight & water jet resistant, Internal accessory storage, Side clips for stacking, Metal hinges and latches, Bi-material handles

REDEMPTION

**BLUETOOTH SPEAKER VIA REDEMPTION** WHEN YOU PURCHASE A DCK255P2-XE. **SPEAKER VALUED AT RRP \$119.** GO TO WWW.GUARANTEEDTOUGH.COM.AU





**BRUSHLESS** 



5.0AH BATTERIES ARE BACKWARDS COMPATIBLE WITH ALL XR TOOLS OF THE SAME VOLTAGE

# 18V XR 4.0AH COMBO KITS



**TOUGHSYSTEM**\*\*

**BONUS: XR COMPACT FM AM RADIO VALUED AT \$159 DCR019-XE** 

18V XR LI-ION 6-TOOL COMBO KIT

#### DCK693M3-XE

#### Kit Includes:

DCD985N-XE 18V XR XRP 3-Speed Hammer Drill, DCF885N-XE 18V XR Impact Driver, DCS380N-XE 18V XR Reciprocating Saw, DCS391N-XE 18V XR Circular Saw, DCG412N-XE 18V XR 125mm Angle Grinder, DCL040-XE 18V XR LED Work Light, DCB182-XE 18V XR 4.0Ah Batteries (x3), DCB105-XE XR Multi-Voltage Charger, DS300 Tough System Modular Storage Unit, DS400 Tough System Modular Storage Unit



#### **18V XR LI-ION 5-TOOL COMBO KIT**

#### DCK593M2-XE

#### Kit Includes

DCD985 XRP 3 Speed Hammer Drill driver, DCF885 Impact Driver, DCG412 125mm Grinder, DCL040 LED Light, DCS387 Reciprocating Saw, 2 x 4.0AH Slide Pack Batteries, Multi-voltage charger, **DEWALT Job Site Bag** 









**18V XR LI-ION 3-TOOL COMBO KIT** 





#### **18V XR LI-ION 3-TOOL COMBO KIT**

#### DCK391M2-XE

DCD985 XRP 3 Speed Hammer Drill driver, DCF885 Impact Driver, DCG412 125mm Grinder, 2 x 4.0AH Slide Pack Batteries, Multi-voltage charger, DEWALT Job Site Bag

#### DCK393M2-XE

DCD985 XRP 3 Speed Hammer Drill driver, DCF880 Impact Wrench, DCG412 125mm Grinder, 2 x 4.0AH Slide Pack Batteries, Multi-voltage charger, DEWALT Job Site Bag







#### **18V XR LI-ION 3-TOOL COMBO KIT**

#### DCZ392M2-XE

DCD985 XRP 3 Speed Hammer Drill driver, DCF885 Impact Driver, DCH254N SDS+ Rotary Hammer Drill, 2 x 4.0AH Slide Pack Batteries, Multi-voltage charger, DEWALT Job Site Bag







**TOUGH**SYSTEM"

BONUS: 18V XR LI-ION 4.0AH BATTERY VALUED AT \$139 DCB182-XE

#### **18V XR LI-ION 2-TOOL COMBO KIT**

#### DCK295M2-XE

Kit Includes: DCD985 XRP 3 Speed Hammer Drill driver. DCF880 Impact Wrench, 2 x 4.0AH Slide Pack Batteries, Multi-voltage charger, DS150 Tough System Kit Box

DS150 Kit Box Included: IP65 Dust tight & water jet resistant, Internal accessory storage, Side clips for stacking, Metal hinges and latches, Bi-material handles



## **SAWS**

#### **305MM XPS DOUBLE BEVEL COMPOUND MITRE SAW**

#### DWS780-XE

**Outstanding cutting performance** 

Small and large construction timbers up to 303 x 110mm

**XPS shadow cutline system** 

Easy to use mitre and bevel controls

Maximum support in large material cuts at any angle or combination of angles Outstanding dust control and deflection away from cutting area

Adjustment of the cutting depth for grooving and rebating applications **Electronic speed control** 

Includes:

60 tooth blade, Blade spanner,

**Dust bag, Material clamp** 

**MULTI-TOOL 300W** DWE315KT-XE

Quick accessory change,

no Hex Key required

**Superior Ergonomics** 

Sanding Platen included

Powerful 300w Motor

**Dust Extraction Adaptor** 

**DEWALT Accesories** 

**Depth Stop / Straight Cut Guide** 

**Tool Free Blade Change when Using** 

**Universal Adaptor included** 

ultimate control

**TSTAK Kitbox 37pc Accessory Set** 

LED Light

0 22,000 opm Variable Speed Trigger,

with 'Lock On' functionallity, for









MITRE SAW STAND **VALUED AT \$299** DWX723-XE



#### **216MM SLIDE MITRE SAW**

#### **DW777-XE**

**Powerful 1800W motor for powerful** cutting in all materials **Dust extraction specifically designed** to meet the needs of the professional Integrated quick release mitre stops **Sliding left hand mitre fence Compact internal rail design for huge** cutting capacity in transportable format

24 tooth saw blade **Blade spanner** 

3-PORT DUST **EXTRACTION KIT VALUED AT \$89** DF7778-X.I



BONUS

#### **184MM CIRCULAR SAW 1350W**

#### DWE560-XE

**Cuttaway inner guard improved cut line visibility Dust blower clears dust and debris from cut line High Power 1350W Motor** 48° Bevel Capacity 65mm depth of cut 3m Cord

36 tooth saw blade, Rip Fence, **Blade Spanner** 



184MM 24T BLADE **VALUED AT \$19** DT1214-QZ





**DEWALT®** 10.8-18V XR BLUETOOTH **SPEAKER** VIA REDEMPTION'











METALWORKING DEALS





#### **800W 100MM ANGLE GRINDER**

#### **DWE4001-XE**

Small girth allows comfortable gripping resulting in superior ergonomics The low profile gear case allows access in confined areas **Abrasion protected motor for increased durability** Fully leaded stator windings for increased motor durability Pop off brushes protect the armature from damage at the end of brush Top positioned spindle lock allows maximum depth of cut **Keyless 'One Touch' Guard** 

#### **Includes:**

**Keyless Protective quard Multi-position side handle** Inner and outer disc flange **Hex Key** 







**BONUS** 

**9 PIECE IMPACT SOCKET SET** VALUED AT \$129 DT7507-QZ



#### **18V XR HIGH TORQUE WRENCH 4.0AH KIT**

#### DCF889M2-XE

**Powerful fan cooled motor provides 540Nm** of torque and 2300 impacts per minute All metal gearing for durability Aluminium front housing disperses heat and increases motor life 1/2" (12.7mm) square socket drive **Bright white LED light** Intelligent trigger protects battery and tool Standard Equipment 2 x 4.0Ah XR Li-lon battery packs with state of charge indicator **Multi-voltage XR charger Heavy duty kitbox** 









BONUS

**VALUED AT \$89** DWE4001-XE



#### **355MM ABRASIVE CHOP SAW**

#### D28710-XE

Quick release clamp for fast work piece clamping High power abrasion protected motor delivers high overload capabilities for greater durability Spindle lock for quick & easy wheel change Adjustable spark guard allows user to control the direction of sparks **Ergonomic handle design reduces fatigue** 





BONUS

125MM SLIDE SWITCH **SMALL ANGLE GRINDER** VALUED AT \$129 **DWE4151-XE** 



#### 2200W TUNGSTEN CARBIDE 355MM CHOPSAW

#### **DW872-XE**

**Burr-free cuts at constant cutting depth High power 2200 Watt motor Electronic soft start for metal cutting** Robust cool-running 355mm, 70 tooth tungsten carbide tipped blade 25.4mm arbor fitment Large tool-free pivoting fence for parallel and mitre cuts up to 45° **Vertical clamping system for safety** Max Cut at 90° (Square profile) 100x100mm

\*Only at selected participating DEWALT stockists from 1/4/15 - 30/6/15 or while stocks last. GO TO WWW.GUARANTEEDTOUGH.COM.AU









# FREE DEWALT 4 PIECE CHISEL SET WITH SELECTED WOODWORKING TOOLS\*

\*Only at selected participating DEWALT stockists from 1/4/15 – 30/6/15 or while stocks last.

#### **DEWALT**

82 Taryn Drive, Epping, Victoria 3076

Telephone: 1800 338 002 Fax: 1800 080 898

## www.DEWALT.com

The yellow and black colour scheme is used on DEWALT Power Tools and Accessories as a trademark. DEWALT reserves the right to change any deal or price at any time without notice. Pricing includes GST unless otherwise stated. Onsite Offers promotion runs from 1/4/15 – 30/6/15. Any product highlighted as 'Coming Soon' will be available after July 2015. Deals available while stocks last and only at participating stores.

Your DEWALT Dealer:

Be the first to see product news and special offers from DeWALT<sup>®</sup>... Register at MYDeWALT to be sent onsite offers by email. Simply go to www.DeWALT.com/MYDeWALT



SMIT